

OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH OFFICER  
GAJAPATI, PARALAKHEMUNDI

Phone No.06815-222205/ 224081

Email ids: centralstoregajapati@gmail.com

Letter No.....387...../S.S.Esst/2018-19

Dated. 16/01/19

To,  
The Deputy Director  
Information & Public Relation Department  
Odisha, Bhubaneswar.

Sub: - Regarding Publication of Advertisement.

Sir,  
With reference to the subject cited above you are hereby requested to publish the advertisement in two no's of leading daily newspaper one English & one Odia in single issue towards Shielding of X-Ray room of DHH, Gajapati (The Draft copy is given below)

**REQUEST FOR PROPOSAL  
FOR SHIELDING OF X-RAY ROOM OF DHH,GAJAPATI**

Adv no: 390 Date: 16/01/19

Applications are invited from credible Agency Firms for **Shielding of X-Ray room of DHH.Gajapati**. The Agency /Firms/ NGOs must be registered for the above Purpose .The Agency/Firms having more than Three years and proven experience of working in the related field of r minimum of at least three years. It is Mandatory that the Agency /Firms should have **GST &** authorisation from AERB .Interested organization /agencies should submit their proposal in prescribed format (Technical as well as financial bids under two Bid systems) along with all supporting documents in sealed envelope separately through speed post/Regd. Post .Post addressed to the **CDM cum PHO and District mission Director Parakhemundi,Gajapati** on or Before 30.01.2019 up to 5pm in the prescribed application format available in website <http://www.gajapati.nic> in .The application proposal shall open on Dt: 30.01.2019 at 11 am In the office of undersigned in presence of the parties/Agencies /or their authorized representatives .The authority reserves right for cancelation/modifications of the selection without assigning any reasons thereof.

SD/-  
Chairman  
Executive Committee RKS  
DHH, Gajapati

This is for your information and necessary action.

Yours Faithfully,

16/01/19  
CDM & PHO, Gajapati

Memo No.....388.....

Copy submitted to the DIPRO, gajapati for information & necessary action.

16/01/19  
Date.....

16/01/19  
CDM & PHO, Gajapati

Memo No.....389.....

Copy submitted to the DIO, NIC with enclosure with a request to upload this advertisement Along with application details in the District website & report compliance to the undersigned.

16/01/19  
Date.....

16/01/19  
CDM & PHO, Gajapati

**TERMS AND CONDITIONS**

1. Tender fee of Rs: 1500/-(non refundable) should be submitted in shape of DD issued from Nationalised bank in favour of CDM & PHO, Gajapati.
2. The EMD money of Rs: 5000/-(refundable) should be submitted in shape of DD issued from Nationalised bank in favour of CDM & PHO, Gajapati.Which will be returned after the validity of the tender.
3. Specification should be followed as per AERB guideline.
4. Copy of authorization from AERB should be submitted with the tender document.
5. Copy of valid GSTN registration certificate /PAN should be submitted with the tender document.
6. Preference will be given according to work experience.
7. The cost will be quoted as per the sq m/sq ft.
8. The tender will not be entertained after due date & time fixed for.
9. If any information or documents furnished by the tendered are found to be incorrect or misleading at any stage the tender will be rejected.
10. The entire document should be attested by the notary.
11. The approved rate will be valid for 01 year from the date of finalization of the tender.
12. The technical bid & the price bid should be in separate envelop with **“RFP for Shielding of X-Ray room, DHH, Gajapati.”**

16/6/19  
CDM & PHO,  
Gajapati

10