

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]


Sl. No.	Particulars	
1	Particulars of the Occupier	Dr
	(i) Name of the authorized person (occupier or : operator of facility)	Dr. Pramod Kumar Pandya Comodrs. - Cum - Superintendent
	(ii) Name of HCF or CBMWTF	District Head, Guntur Hospital, Andhra Pradesh
	(iii) Address for Correspondence	
	(iv) Address of Facility	
	(v) Tel. No, Fax. No	06815-222222
	(vi) E-mail ID	hcf@gopati.org.in / dhgopat@gmail.com
	(vii) URL of Website	www.gopati.nic.in
	(viii) GPS coordinates of HCF or CBMWTF	N/A
	(ix) Ownership of HCF or CBMWTF	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorization under the Bio-Medical Waste (Management and Handling) Rules	Authorisation No: 12492/SPCB/authorisation Valid upto: 31/03/2023
	(xi). Status of Consents under Water Act and Air Act	Valid upto: Applied on - 03-12-2019
2	Type of Health Care Facility	DH
	(i) Bedded Hospital	No. of Beds: 161
	(ii) Non-bedded hospital	
	Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	N/A
	(iii) License number and its date of expiry	12492/SPCB/authorisation valid upto 31-03-23
3	Details of CBMWTF	
	(i) Number of health care facilities covered by CBMWTF	N/A
	(ii) No. of Beds covered by CBMWTF	N/A
	(iii) Installed treatment and disposal capacity of CBMWTF;	— Kg / day
	(iv) Quantity of bio medical waste treated or disposed by CBMWTF	— Kg / day
4	Quantity of waste generated or disposed in Kg per Annum (on monthly average basis)	Yellow Category: 3714.992 Red Category: 3744.068 White: 289.298 Blue Category: 3691.848 General Solid Waste: 77291.47
5	Details of the Storage, Treatment, Transportation, Processing and Disposal Facility	
	(i) Details of the on-site storage	Size: 450 sq ft

facility		Capacity:			
		Provision of on-site storage : (Cold storage or any other provision)			
(ii)	Disposal facilities	Type of treatment equipment	No of Units	Capacity Kg/day	Quantity Treated or disposed in kg per annum
		Incinerators	—	—	—
		Plasma	—	—	—
		Pyrolysis	—	—	—
		Autoclaves	01	450-500 L per 1 hr	6883.21
		Microwave	—	—	—
		Hydroclave	—	—	—
		Shredder	1	251 per one hr	2468.71
		Needle tip cutter or destroyer	15	N.A.	
		Sharps	02	—	—
		Encapsulation or concrete pit			
		Deep burial pits	01		
		Chemical disinfection:	—	—	—
Any other treatment equipment:	—	—	—		
(iii)	Quantity of recyclable wastes sold to authorized recyclers after treatment in Kg per annum	Red Category (like plastic, glass, etc.) Red → 3744.068 Blue → 3691.848			
(iv)	No. of Vehicles used for collection and transportation of biomedical waste	02			
(v)	Details of incineration ash and ETP sludge generated and disposed during the treatment of wastes in Kg per annum		Quantity Generated	Where disposed	
		Incineration	0		
		Ash	0		
		ETP Sludge	0		
(vi)	Name of the Common Bio-Medical Waste Treatment Facility Operator through which wastes are disposed of	Medicaid marketing Pvt. Ltd (Bio-medical wastes) (Red, blue, yellow Ash)			
(vii)	List of member HCF not handed over bio-medical waste.	—			
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period	yes.			

7	Details trainings conducted on BMW	
	(i) Number of trainings conducted on BMW Management	2 batches
	(ii) Number of personnel trained	112
	(iii) Number of personnel trained at the time of induction	66
	(iv) Number of personnel not undergone any training so far	10 Zero
	(v) Whether standard manual for training is available?	Yes
8	Details of the accident occurred during the year	
	(i) Number of Accidents occurred	0
	(ii) Number of persons affected	0
	(iii) Remedial Action taken (Please attach details if any)	N.A.
	(iv) Any Fatality occurred, details	N.A.
9	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?	Incineration not available.
	Details of Continuous online emission monitoring systems installed	N.A.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?	low cost liquid waste treatment
11	is the disinfection method or sterilization meeting the log 4 standards? How many times you have not met the standards in a year?	N.A.
12	Any other relevant information	(Air Pollution Control Devices attached with the Incinerator)


Certified that the above report is for the period from

..... January 2022 to December 2022

Name and Signature of the Head of the Institution

 06/01/23

Date: 06.03.23

Place: OTM, Panalathemundi


 02.22