

**OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH  
OFFICER-CUM-DISTRICT MISSION DIRECTOR,GAJAPATI**



DISTRICT PROGRAMME MANAGEMENT UNIT, NHM  
PARALAKHEMUNDI, GAJAPATI, ODISHA, 761200  
(Department of Health & Family Welfare, Govt. of Odisha)  
Email ID: gajapatinhm.proc@gmail.com / nhmgajapati18@gmail.com



Letter No.....5762

Dated.....8/8/24

To,

**The Director,  
I & PR Department,  
Lok Samparka Bhawan ,Govt. Of Odisha,  
Bhubaneswar.**

**e-mail: ipr.advt@gmail.com / iprenews@gmail.com**

**Sub:** Publication of Advertisement in One Odia Daily for supply of Instrument & Equipment for DEIC-RBSK programme under NHM for the year 2024-25 for the Gajapati district

Sir,

With reference to the above cited subject, it is requested to publish the advertisement in One Odia daily for supply of Instrument & Equipment for under DEIC-RBSK programme under NHM for the year 2024-25 for the Gajapati district & submit the bills in duplicate to this office for necessary payment.

**Enclosure: As above**

**Yours faithfully**

*[Signature]*  
**CDM&PHO-Cum-DMD,Gajapati**

**ZILLA SWASTHYA SAMITI, GAJAPATI**

**Office of the CDM & PHO, Gajapati, Paralakhemundi, Odisha, 761200**

No.....5761

Dated. 8/8/24

**Quotation Call Notice**

Sealed Quotations are invited from registered manufacturers/ authorized distributors/ suppliers for supply of Instrument & Equipment for Gajapati District under **DEIC-RBSK programme (0-18 years)**. The above items at the premises of CDM & PHO, Gajapati on the terms and conditions available in our website [www.gajapati.odisha.gov.in](http://www.gajapati.odisha.gov.in). The sealed quotations shall reach the undersigned within the office hour by 4.30 PM. of Date 28-08-2024 and the same will be opened on: 29-08-2024 at 11 AM. The undersigned reserves the right to reject any or all the tender(s) without assigning any reason thereof.

**Sd/  
Dr.M.M Alli  
CDM&PHO-Cum-DMD,Gajapati**

**MEMO.....5763**

Date:.....8/8/24

1. Copy to the DI&PRO, Gajapati for information & necessary action.
2. Copy to the DeGM, Collectorate, Gajapati for information with a request to publish the same along with the enclosures (enclosed herewith) in the district website.
3. Copy to the Head Clerk (SA), O/o the CDM& PHO, Gajapati for information and necessary action.

*[Signature]*  
**CDM&PHO-Cum-DMD,Gajapati**

**OFFICE OF THE CHIEF DISTRICT MEDICAL & PUBLIC HEALTH  
OFFICER-CUM-DISTRICT MISSION DIRECTOR,GAJAPATI**



DISTRICT PROGRAMME MANAGEMENT UNIT,NHM  
PARALAKHEMUNDI, GAJAPATI, ODISHA, 761200  
(Department of Health & Family Welfare, Govt. of Odisha)  
Email ID:gajapatinhm.proc@gmail.com/ nhmgajapati18@gmail.com



Letter No.....5761.....

Dated.....8/8/24.....

**Quotation Call Notice**

Sealed Quotations are invited from registered manufacturers/ authorized distributors/ suppliers for supply of Instrument & Equipment for Gajapati District under **DEIC-RBSK programme(0-18 years)** .The intended suppliers, manufacturer, Distributors are required to quote the rates for the following items. The quotation reaching after due date shall summarily be rejected. The specification and names of the items of the manufacturing company should be mentioned in the quotation. The intended suppliers should also furnish along with the quotations the latest GST return certificate, PAN Card, Authorization from competent authority. The Companies should be of GMP/WHO GMP & ISO certified companies, failing which their tender shall be rejected. The Instrument & Equipment are to be supplied with door delivery & proper installation within 10 days of receipt of the orders. The last date of submission is **Dt: 28-08-2024 by 4.30 PM** through Reg. Post /Speed Post / Courier or by hand services only along with all the relevant documents. The Bidders may download the quotation documents directly from the website available at [www.gajapati.odisha.gov.in](http://www.gajapati.odisha.gov.in) .The quotations received shall be opened at **11 AM on Dt: 29-08-2024** in the chamber of CDM & PHO Gajapati and the said firms are requested to attend on the said date and time or send their representative.

Sd/  
Dr.M.M Alli  
CDM&PHO-Cum-DMD,Gajapati

## **Terms and Conditions:-**

- The bidder is free to quote for single category or all categories of appliances individually. However, the contract shall be for the full quantity for a particular item.
- All duties, taxes and other levies payable including the supply at our place by the vendor under the contract shall be included in the total price.
- Rates quoted should also include installation of material at our site.
- The items for which quotations have been submitted must be in accordance with the specifications given. Variations in specifications (if any) should be mentioned in a separate letter.
- The rates quoted by the bidder shall be fixed for the duration of the contract and shall not be subject to adjustment on any account.
- The bidder should submit the separate price bid/ financial quotation.
- Period of delivery- The items are to be delivered within a maximum time limit of 30 days from the issue of Purchase order.
- The tender shall be submitted in two parts, (a) Technical Bid and (b) Financial Bid and both the parts are put in a single envelope.
- Technical bid shall consist of technical details, and should be submitted in duplicate. Deviations (if any) from tender specifications and commercial terms and conditions should be clearly mentioned. The tender form shall be submitted with this bid duly signed by the bidder
- Financial bid shall consist of price details
- The tender is liable to be rejected if complete information is not given therein or if the particulars and date (if any) asked for in the schedule tender are not fully filled in. Particular attention must be paid to delivery date and also to the particulars referred to in the condition of the contract. The tenderer should sign every page.
- The technical bids should be submitted in sealed covers, marked “Technical Bid for procurement of Equipment”
- Only technically qualified bidder’s financial bids shall be open.
- Tenders not complying with the above conditions are liable to be rejected at the sole discretion of CDM & PHO, Gajapati without any further reference.
- This tender is not transferable.

### **PRE-QUALIFICATION:**

Manufacturing units /Authorized dealers/Traders are eligible to participate in the tender provided, they have

- This Tender document can be downloaded from website [www.gajapati.odisha.gov.in](http://www.gajapati.odisha.gov.in). The filled in/complete in all respect tender document must be submitted with tender document fee of Rs. 1000 /- (Non refundable) in the form of Demand Draft in favor of the **ZSS NON-NRHM FUNDS, GAJAPATI** payable at SBI Main Branch, Paralakhemundi.
- **EMD:** As indicated in the Tender Notice Rs 10000 /- only in form of Demand Draft in favour of the “**ZSS NON-NRHM FUNDS, GAJAPATI** payable at SBI Main Branch, Paralakhemundi” is refundable.
- Copy of Certificate **CE certificate** and **ISO 9001:2008 or ISO 9001:2015** must be submitted.
- The intended suppliers should also furnish along with the quotations the latest **GST Certificate, GST monthly return for last applicable month Certificate, PAN Card & IT return copy of last three year (3 Year)**. The authorized distributor/trader should submit the **Manufactures Original Authorization Certificate** from the competent authority for this particular tender. If not, the Authorized distributor/Traders are not eligible to participate in the tender. **Colour Xerox copies of authorization certificate are not acceptable in any condition**. If so, the Authorized bidder/distributor/Traders are not eligible to participate in the tender.
- The bidder must have an average annual turnover of Rs: 1 crore during last 3 financial years. Certified copy of turnover by chartered Accountant must be submitted.
- Bidders who have been blacklisted either by the Tender inviting authority or by any district/state Govt. or Central Govt. organization for the quoted item is not eligible to participate in the tender during the period of blacklisting. **Affidavit** of the same to be submitted neither stating that the firm has **neither been black listed nor any criminal cases** pending against them.
- The bidder should have technical manpower with experience to provide service. A Self Certified letter by an authorized signatory; OR Undertaking for setting up Service Support Centres through Channel partner and deployment of Resident Engineers.
- **Copy of original Tender book and schedules, duly signed by manufactures/bidders.**
- **General:** CDM & PHO, Gajapati reserves the right to choose, accept or reject any or all requests/offers, in full or part and also reserve the right at any stage to reduce or increase the quantity and split the order.

### **Evaluation of Quotations**

CDM & PHO, Gajapati will evaluate and compare the quotations determined to substantially responsive i.e. which are properly signed; and confirm to the terms and conditions, and specifications.

The evaluation will be done based on the following parameters:

- **Price quote**
- **Quality & Guarantee offered by the vendor**

## **Sampling:**

**Sampling of instruments and Equipments which are handy, are to be submitted for checking the quality of the said items. The items submitted for sampling the firm should label the items with code numbers or alphabets without mentioning the name of the Bidder or Manufacturer in a kit along with catalogues of all other items also.**

## **Award of Contract**

The purchaser will award the contract to the bidder whose quotation has been determined to be substantially responsive and who has offered the lowest evaluated quotation price.

Notwithstanding the above, CDM & PHO, Gajapati reserves the right to accept or reject any quotation and to cancel the bidding process and reject all quotations at any time prior to the award of contract without giving any reason.

The bidder whose bid is accepted will be notified of the award of contract by the purchaser prior to expiration of the quotation validity period. The terms of the accepted offer shall be incorporated in the purchase order.

## **Installation / Commissioning Requirements**

- The unit shall be fully assembled in the Bidder's factory before delivery to site for commissioning. The Bidder shall arrange with the Hospital, Materials Management Department representative for delivery. During the commissioning, the Bidder shall carry out the necessary functional tests in accordance to the manufacturer's recommendation. The Bidder shall provide all necessary testing equipment or required for the functional testes at their own expenses. No claim for extra payment will be entertained by the Hospital owing to the Bidder's neglect any unforeseen difficulties for which provision are not made for the commissioning. A Bidder, by the fact of submission of tender, shall be deemed to have accepted all conditions and stipulations of this clause, which shall be binding on the Bidder.

## **Additional Requirements (where applicable)**

- The supplied equipment and accessories must be of hospital-grade and shall comply with national and international recognised Standards and applicable Standard Systems.
- The Tenderer shall provide back-up units during the warranty period while the unit is undergoing corrective repair by the Tenderer.
- The warranty shall cover unlimited breakdown service calls at no additional cost.

- The Tenderer is advised to check for incompleteness and misleading information that may result in disqualification.
- All terms and conditions which are printed on or referenced in the successful Tenderer's Bill of Sale or other sales documentation for the equipment to be purchased are null and void and are not binding to the Company. The Company will dictate all terms and conditions of the sale.
- The Company will be entitled to purchase all replacement parts, components, sub-assemblies and peripheral devices as needed for the maintenance and repair of each model of equipment purchased from the successful Tenderer at the fair market price. No excessive handling or shipping charges will be applied to these purchases. The successful Tenderer must expedite all shipments and not withhold shipments in order to increase equipment downtime to the Company or for any other reasons.
- The Company has the right to use any service representative of his choosing, including in-house, third party or independent contractor. These representatives have the right to repair, install, calibrate, maintain or overhaul all models of equipment purchased from the successful Tenderer. The Company's representatives shall be afforded the privilege of ordering all necessary repair parts and components from the successful Tenderer for each model of equipment purchased at a fair market price.
- The Company has the right to send its designated service representatives to the manufacturer's service training school to receive sufficient, any or all, technical training to allow the representative to repair and calibrate the equipment purchased.
- The Tenderer is advised to check for incompleteness and misleading information that may result in disqualification.
- Failure to comply with any of the above requirements may result in the rejection of the offer.

# CHECK LIST

(To be submitted in Technical Bid)

**Note : The documents has to be arranged serially as per the order mentioned in the check list**

Please put  in the respective box

<b>COVER - A (TECHNICAL BID)</b>	<b>DOCUMENTS: SUBMITTED OR NOT</b>					
1. List of Item (s)	Page No.		Yes		No	
2. Tender document Fee	Page No.		Yes		No	
3. Earnest Money Deposit	Page No.		Yes		No	
4. Declaration form signed by the Tenderer & affidavit before Notary Public / Executive Magistrate	Page No.		Yes		No	
5. Manufacturer's original Authorization	Page No.		Yes		No	
6. Deviation/No deviation Statement (Item wise) & Details of technical specification	Page No.		Yes		No	
7. Copy of Valid ISO Certificate	Page No.		Yes		No	
8. Photocopy of PAN & IT return copy last 3 year	Page No.		Yes		No	
9. Photocopy of monthly GST return certificate and GST Certificate copy	Page No.		Yes		No	
10. Certified Annual average turnover of Rs: 1 crore copy	Page No.		Yes		No.	
10. Copy of original Tender and schedules, duly Signed by the Tenderer	Page No.		Yes		No.	

(To be submitted in **Part A -Technical Bid**)

**STATEMENT REGARDING DEVIATIONS FROM TECHNICAL SPECIFICATIONS (IF ANY)**

Following are the Technical deviations and variations from the purchaser's Technical Specifications.

<b>Tender Sl. No.</b>	<b>Item Name</b>	<b>Clause of Technical Specification</b>	<b>Statement of Deviations / Variations</b>
1			
2			
..			
..			
..			

In case there is no deviation from technical specification, Pl. Mention ***No Deviation.***

Signature of the Bidder

Name:

Date:

Place:

Seal

(To be submitted in **Cover -Technical Bid**)  
**DECLARATION FORM/ AFFIDAVIT**

I / We .....having My /  
our.....office at.....do declare that I / We have  
carefully read all the terms & conditions of tender of the \_\_\_\_\_, Orissa for the supply of  
Equipment, Instrument & furniture for Gajapati District. The approved rate will remain valid for a  
period of one year from the date of approval. I will abide with **all the terms & conditions** set forth in  
the **Tender Reference no.**\_\_\_\_\_.

I/We do hereby declare I/We have not been de-recognized / black listed by any State Govt. /  
Union Territory / Govt. of India / Govt. Organization / Govt. Health Institutions for supply of Not of  
Standard Quality (NSQ) items / non-supply.

I/We agree that the Tender Inviting Authority can forfeit the Earnest Money Deposit and  
blacklist me/us for a period of 3 years if, any information furnished by us proved to be false at the  
time of inspection / verification and not complying with the Tender terms & conditions.

**Seal**

**Signature of the bidder:**

**Date:**

**Name & Address of the Firm:**

**Affidavit before Executive Magistrate / Notary Public.**

## **PART B - PRICE BID FORMAT**

Tender SL No	Name of the Item	Specification	Name of the Manufacturer	Unit Price	GST	Total price	Warranty period

**Format**  
**DEIC EQUIPMENTS**

**SCHEDULED OF REQUIREMENT WITH SPECIFICATIONS (PAED. USE ONLY) RBSK (0-18 YEARS)**

Sl. No	Name of the Item & Specification	Specification	Name of the Manufac ture	Rate quoted each ( Including GST)	Remarks
1	Log Mar Charts	Logarithmic Visual Acuity Eye Chart with Red and Green Bars, Visual Acuity Test Sloan chart uses traditional optotypes that follow a grid idea. Sloan eye test uses logarithmic format and has equivalents on each side. Features:- Chart includes red and green color bars for an easy and helpful color vision test. Made of Extra Strong, Easily Washable, Non-reflecting, Matte Finish PVC Sheet. Perfect for optometrists, students, offices, and schools. And the top centre hole, easy to hang on the wall.Dimensions.Test Distance- 13 feet,Length-14 inch,Width-9 inch,Specifications- General,BrandKASHSURG,Model Numbe-rDP-5052,Type-logMAR			
2	Snellen's Chart	Non reflecting, matte finish eye Charts, Designed for Vision Testing at 20 Feet distance. Eye Chart measures 22 x 11 in. Plastic Washable Sheet. Wall Hanging Whole for easy hanging.			
3	Pediaticr Trail Lens Set	Illuminated Trial Lens Set 225 Lens With Trial Frame In Standard Case. This is come with 1 Year Warranty. Super Top Illuminated Reduced Aperture Trail Lens Set is an attractive set, prepared from imported extra white lenses of high standard accuracy. The lenses are of Plano from Back Vertex Power, 20mm aperture fitted in aluminium mounts of 38mm diameter. The plus and minus mounts of different colors. Handles are provided on spheres. The lens tray rises automatically. When opened with light control. The case is an attractive colored acrylic top with double lock.And The test consists of a number of colored			

		plates, called Ishihara plates, each of which contains a circle of dots appearing randomized in color and size. Within the pattern are dots which form a number or shape clearly visible to those with normal color vision, and invisible, or difficult to see, to those with a red-green color vision defect, or the other way around. The full test consists of 38 plates, but the existence of a deficiency is usually clear after a few plates. individuals with color vision defect should see a different figure from individuals with normal color vision. Makes use of the peculiarity that in red-green blindness, blue and yellow appear remarkably bright compared with red and green Diagnostic plates: intended to determine the type of color vision defect Ishihara Test Chart Books for Color Deficiency 38 Plates with user manual			
4	Pencil Torch with yellow light	Medical pen light -Sturdy and durable aluminum alloy material instead of plastic. A metal pocket clip design, allowing you to carry your penlight with you wherever you go. Push-button on/off switch, easy to control. The perfect tool for Medical Professionals the convenient clip and light weight design makes this doctor penlight easy to carry around. Nursing School This nurse penlight is also a great buy for Nursing Students as they gain hands on experience working with and examining patients, 1 PC PEN TORCH , 2 AAA BATTERIES			
5	Children's Trail Frame	Trial Frame Adjustable Rotating for Trial Lenses, FULL METAL Spring Action Grooved Holders for Easy Trial Lens Placement Fully Adjustable IPD. Fully Adjustable Nose PAD Screw Controlled Rotating of Cylindrical Lenses Easy & Smooth Adjustment, Handling - Portable Operation Mode - Manual Volumw 27(L) x 18.5(W) x 5 (H)cm			

		Weight 72g Binocular PD 44-76mm,1mm step,			
6	Vision Testing Drum(Distance)	portable,Hand held controls by easily rotating,Best For Camp To Carry and Hang,6 meter perfect range for test,6 meter perfect range for test,Style Doori Drum With LED Light Vision Eye Testing Chart (Small),Material Stainless Steel,Product Dimensions 30 x 30 x 8 cm; 2 Kilograms,Item Weight-2 kg,Item Width 30 Centimeters,Item Height 8 Centimeters,Item Weight 2 kg			
7	Illuminated Near Vision Test Drum	Near vision drum with LED light. It comes with 4 languages 'number', 'hindi', 'english', and 'Odia,Handling-Portable ,Color-Blue & White,Item Weight-400 grams,Wall Hanging Whole for easy hanging.			
8	Infant and toddler VEP or Visual Evoked Potential Testing Equipment	A VEP (visual evoked potential) is a test that records the electrical signals of your child's brain while he/she is watching either a flashing light or a black-and-white checkerboard television screen. A VEP shows if the brain is receiving information about what your child's eyes see			
9	Lea Grating Paddles	Lea Grating Paddles for Preferential Looking Test,Paddles to present Lea Gratings with handles,Material of grating paddles-HDPE,Material of grating paddles handle-Plastic,Black and white parallel lines printed on the gratings surface,Number of Grating Paddles for Lea Test-4,Paddle diameter (Cm)-20,Grating levels printed on each handle (Cycles per Centimeter of surface) (cpcm)-0.25,Suggested Test distance (Cm)-57,To determine detection acquity among normal children suffering from cognitive problems or disabilities			
10	Lea Near Vision cards with symbols with card	To measure the visual acuity of very young children and to examine the brain damage to reveal the difference between visual acuity values measured with the Playing Cards and with			

		single optotypes, line test and tightly crowded optotypes. Also to use as regular teaching material when a child is learning the concepts of similar/different, big/small, and bigger/smaller.Children from 3 to 18 years,Number of packs (Nos)-4,Number of cards in each pack (Nos)-16,Four (4) pack should contain cards with symbols of varying sizes-16M and 10M, 6.3M and 4M, 2.5M and 1.6M, and 1M and 0.63M,Size of each card-1.6" x 2.75" (4 cm x 7 cm),Material of Cards-Non-tear water proof material			
11	Lea Near Vision Single Symbol Playing Cards	Lea Symbols Near Vision Card,"16 inches/40 centimeter Lea Near vision chart",Objective-To fulfil the criteria to be a good vision for children by measuring near visual acuity, "To assess the child's functional vision at near distances",Pre-school children of 3 to 5 years age group,"Front side of the Lea symbol cards printed with proportionally spaced (log MAR) lines",Each line should have optotypes size ranging from 20/400 to 20/10 (6/120 to 6/3) equivalent,"Non-tear waterproof material",Card size (cmxcm)-20.3x25.4,Test distance (cm)-40			
12	Lea Symbol 13 -Line Translucent Distance Chart(10ft/3 meters)	Lea Symbols Translucent Distance Eye Chart and Conditioning Flash Card ,Lea Translucent 13 Lines, 10ft/3m Distance Chart,To fulfil the criteria to be a good vision screening chart for children/Adult by measuring the visual acuity,To assess the distant functional vision.Proportional spaced lines size-20/125 to 20/8 (6/38 to 6/2.4) ,Should have 0 point 1 Log MAR decrements in optotype size,Test distance (ft or meter)-10ft or 3meter,Material of the card-HDPE,The card contains very familiar 4 symbols like circle, square, house and apple			
13	Lea Symbol Low Contrast 10M Flip Chart	Lea Symbol Low Contrast 10M Flip chart,Measurement of contrast sensitivity at low and			

		intermediate contrast level to detect the visual functionality which could miss at high contrast in children. Also to easily measure, record and detect changes in transfer of visual information that affects visual acuity at low contrast levels,Children from 3 to 18 years,Number of symbols in each page-5,"Each page should have symbols of one size but different contrast ranging from 25%, 10%, 5%, 2 point 5%, and 1 point 25% contrast",Should have decrements in contrast but opto type size remaining the same," Non-tear water proof material"Includes response card, training card, recording forms and instructions to use			
14	Lea 3- D Puzzle	LEA 3-D Puzzle for Vision Development ,To assess vision development of children by checking eye-hand coordination and also to develop the concept of "same" in children suffering with brain damage,Children below 3 years, To conduct Lea symbol test to measure recognition acuity for the development of the concept "same" with color and later with black and white concrete forms,Dimensions of Tray (approx) 6.75"x 6.75" (17.2 cm x 17.2 cm),"Dimension of symbol puzzle pieces (approx)"-2" x 2" (5.1 cm x 5.1 cm),Number of Trays-1 ,Tray contains 4 symbol puzzle pieces of circle, square, house and apple,The Puzzele pieces and tray should be made from water proof material"Booklet for assessing Vision Development Through Picture and Shapes and instructions to use the LEA puzzle to be provided"			
15	Hiding Heidi Low Contrast Face Test, serial No.253500; Double sided	Hiding Heidi Low Contrast Face TestTest Version,"For assessment of vision for communication, by using low contrast picture of face in children who are unable to respond verbally or by pointing,Children from 2 to 3 yearsDouble Sided (Four cards printed on both sides in the following contrast levels: black,			

		25%, 10%, 5%, 2.5%, and 1.25%)," Non-tear water proof material",Size of each card 9" x 9" (23 cm x 23 cm)			
16	Heidi Expressions Test Game serial no. 254505	Heidi Expressions Test Game-To test a child's ability to see differences among different facial expressions as of functional visual assessment in visual impaired children and to detect the pathway problem or cognitive visual problem. It is also used for assessment of easily visual processing when child has symptoms of face blindness.Children from 2 to 3 years,Should have cards with 6 basic expressions printed,Number of cards in one set-18,Size of each card 4" x 4" (10.16 cm x 10.16 cm),Material of Cards Non-tear water proof material			
17	Spectacle Occuder item #52327	A Lorgnette Spectacle Occluder with 17 pinholes. Made of durable plastic.Product Dimensions 20.96 x 17.3 x 0.48 cm; 50 Grams			
18	Occluder Glasses item #52851	Number of adhesive eye patches for occlusion-20,Eyepatch for kids amblyopia eye patches, kids eye patch,strabismus, lazy eye patch for children adults			
19	AAPOS Vision Screening Kit item no.#120	AAPOS Vision Screening Kit,The AAPOS Vision Screening Kit is a basic comprehensive screening kit for screening the vision of individuals beginning at age 3 through adulthood, Kit should have spiral-bound multisided, distance visual acuity eye charts in full threshold and critical line formats that can be hung on a wall or held in the hands,Kit should include separate eye chart with sloan letters for children who know random letters,Kit should include separate eye chart with LEA Symbols for preschoolers and for children who do not yet know random letters,Screening Distance-10 Feet,kit should have Full-Chart Threshold and Single Critical Line formats (Threshold screening involves beginning at the top of an eye chart and moving down the			

		chart until the child or adult misses 3 of 5 optotypes and Critical line screening is using only the line which the child or adult should correctly identify 3 of 5 optotypes according to age),Kit should include adhesive eye patches for occlusion, eye patches for occlusion-20,Kit should have cord for measuring screening distance between chart and child's eyes 10 Foot Long			
20	LEA SYMBOLS Chart for Vision Rehabilitation item no.258000	This test is designed for testing children and adults with visual impairment at a distance of one meter. The largest symbols are 50M in size, corresponding to 1m/50M = to 1/50 or decimal visual acuity 0.02, equivalent values 20/1000, 6/300. The smallest symbols are 1M in size corresponding to 1m/1M = to 1/1 or decimal visual acuity 1.00, equivalent values 20/20, 6/6.Measurements: 16 in x 21.5 in (40.7 cm x 54.6 cm). Folds to 16 in x 10.75 in (40.7 cm x 27.3 cm).Test distance: 40 inches/1 meterTest distance: 40 inches/1 meter			
21	Leo Learns by doing - DVD for interaction with a vision impaired child (790000)	Kit should include Vision Screening DVD for Learning to use the AAPOS Vision Screening			
22	COVD Pediatric Kit-400444 SKU	COVD Pediatric Kit-The COVD Pediatric Kit contains everything need to conduct vision exams with young pediatric patients. It can also be used for quick and easy screening of near vision,Small Heidi Fixation Target (Nos) 1,Fixation Cube with LEA Symbols (Nos) 1,Fixation Cube with LEA Symbols & Pictures (Nos) 1,Mini Spinning Fixation Globe (Nos)-1,Zoo Finger Puppets (Nos)-2,Frosted Fun Frame Occluder Glasses Set (Nos)-1 Pair,LEA Symbols Near Vision Card for Acuity Testing (Nos)-1,LEA Symbols Translucent Response Panel (Nos)-1			
23	Lea Fixation stick	Flexible hard surface, printed on both sides. 6" x 1.25" (155 mm x 33 mm). Sold individually. LEA™ Stick includes 9 different			

		illustrations on one side, 6 LEA SYMBOLS® and 6 HOTV characters on the reverse			
24	Canon Power Shot TX1 digital camera	Canon PowerShot TX1 7.1MP Digital Camera Full Specifications ; Type, Digital Camera ; Effective Pixels, 7.1 MP ; Dimensions(WxHxD), 89 x 60 x 29 mm ; Weight, 220 GM.			
25	Random Dot Butterfly stereo sis test it immediate -sized Polarized glasses	The Stereo Butterfly tests and evaluates random dot stereo depth perception for both gross stereopsis (2500 to 1200 seconds of arc) and fine depth perception. The figures present on the test cannot be identified without viewing glasses.Graded circle test (800 to 40 seconds of arc),Animal test for children (400 to 100 seconds of arc),1 pair of Standard 3-D Viewers,Answer key on back cover			
26	Receptive-Expressive Emergent Language Test-Third Edition	As per psychological standards of india			
27	LPT : Linguistic Profile Test	As per psychological standards of india			
28	Developmental assessment for Indian infants	As per psychological standards of india			
29	Vineland Social Maturity Scale				
30	Vineland Adaptive Behavior Scales				
31	Denver Developmental Screening Test II (DDST-II)				
32	Bayley-iii Screening Test Complete Kit Includes Manual,Stim Book ,Picture Book, Record Forms 25 Packet				
33	Piagets Sensori-Motor Intelligence Scale 0-2 years + Piagetian Cognitive Tasks	NIMHANS battery			
34	Dyslexia Early Screening Test 4-11 years <b>-(2 category (4-6 &amp; 6-11) years)</b>				
35	Stanford Binet(Indian adaptation Kulshreshta)				

36	Childhood Behavioral Checklist CBCL	As per psychological standards of india			
37	Cerebral Palsy and Neuro-motor impairment INCLN (INDT-NMI)	As per psychological standards of india			
38	INCLN Diagnostic Tool for Epilepsy (INDT-EPI)	As per psychological standards of india			
39	ADHDT 2	As per psychological standards of india			
40	SANGUIN FORM BOARD				
41	Pin spot and Mirror Ball				
42	Mirror Ball Motor				
43	LED Mirror Ball				
44	Fire Wall- mounted on the roof				
45	Sound Activated Light				
46	LED Bubble Tube				
47	OPTIC fibers				
48	Bubble Tube				
49	Rotating Drum				
50	Chime Frame and Beater				
51	Mirror Chime Bout				
52	<b><u>Swings:</u></b>				
53	Bolster swing				
54	Platform swing				
55	Tyre tube swing				
56	Rope ladder swing				
57	Rhythmic Rocker				
58	HIPRO	<p>PC Interface:</p> <p>Communication: USB 2.0 full speed (USB 1.1 compatible)</p> <p>USB Connector Type: "Type B" connector (on the HI-PRO 2 unit)</p> <p>Power Supply:</p> <p>The Hi-Pro 2 unit is powered from the PC USB port</p> <p>Operating systems:</p> <p>Windows XP Pro SP3, Windows 7 (32 and 64 bit)</p> <p>Windows 8 (32 and 64 bit)</p> <p>Windows 10</p>			
59	OPD Material				
60	Thudicum's speculum set	This is a single-use instrument, manufactured from medical-			

		grade surgical stainless steel and supplied in individual, easy to open sterile packs. The speculum is available in a wide range of other sizes,Stenless steel with worst profe			
61	Killian's speculum set	This is a single-use instrument, manufactured from medical-grade surgical stainless steel and supplied in individual, easy to open sterile packs. The speculum is available in a wide range of other sizes,Stenless steel with worst profe			
62	Posterior rhinoscopic mirrors	The shaft of the instrument is bent to achieve a bayonet shape, a feature that helps differentiate it from the indirect laryngoscope mirror. The mirror is available in 3 sizes. The product having stainless steel with worst proffer.			
63	Laryngeal mirror set	The Laryngeal mirrors range in length from 13.5 to 18.5 cm long in order to reach the deep tissues in the neck. The shafts are slender has a straight profile in order for you to view the mirror clearly. Furthermore we optimized a wide variety of mirror sizes that range.			
64	Aural Speculum all sizes black finish	the product having stainless steel with wrost profe			
65	Nasal Packing Forceps	the product having stainless steel with wrost profe			
66	Aural Suction Tips (Micro suction adapter)	the product having stainless steel with wrost profe			
67	Nasal Suction Tips	the product having stainless steel with wrost profe			
68	Tuning Fork 1 set-4 tuning fork of 4 deferent freq 128Hz,256 Hz,512 Hz and 1024 Hz	Brainstem Evoked Response Audiometer with insert phone BERA or with both Bone-conduction auditory brain-stem response (BCA BR) and Air-conducted (AC ). Bone vibrator and baby insert phone ABR with ASSR (Optional)			
69	Hartman's Forceps	the product having stainless steel with wrost profe			
70	Eustachian tube catheter	the product having stainless steel with wrost profe			
71	Punch biopsy forceps	the product having stainless steel with wrost profe			
72	Laryngeal biopsy forceps	the product having stainless steel with wrost profe			
73	BP Handles of various				

	sizes (Available in district store)				
74	Tongue depressor	L shaped stainless steel with the product having 3 pieces of set			
75	Therapy Ball : 65 cm				
76	45 cm and a pump for inflation				
77	<u>Therapy mats- 6ftx3ft</u> (Length 6 ft and breadth 3ft, thickness 4cm)				
78	Bolster:				
79	2ft long, diameter-8 inch				
80	2 ft long, diameter-10 inch				
81	<u>Small roll-</u> 13 inch long, diameter-3 inch				
82	<u>Prone Wedges small -h- 10/l-20/w-17 inch</u> Foam filled wedges covered with Nylon, fitted with Rexene straps to position the child				
83	Big – Height-14 inch; Length-31 inch, Breadth-17 inches				
84	Small – Height-10 inch; Length-26 inch, breadth-17 inches				
85	<u>Balance Board</u> Rexene covered cushioned platform, size 45 cm x 60 cm x 15 cm high				
86	Kaye-Walker (Height: 48-64 cm distance between hand grips 34 cm, frame width 58-60 cm, frame length 69-83 cm, user height 107-137 cm, maximum user weight 39 kg., frame weight 3.85 kg)				
87	Trampoline (Small)	4.5 ft lights and music trampoline for kid with lights, blue tooth, foldable with safty handle. 4.5 ft bouncing area. 15 LED with 9 different partern. Led required 3AAA BATTERIES.			
88	<u>Bolster swing</u>				

	With nylon rope or straps with hooks to fit in the swing frame. Size 25 cm diameter x 90 cm long				
89	<u>Wooden Benches with cushion and Rexene Cover</u>				
90	a) Small (3ft long, height 8 inches, breath inches)				
91	b) Big (3 ft long, height 12 inches, breath 8 inches)				
92	Splints (Ankle Foot Orthosis)				
93	<u>Special Chair</u> With cut-out tray (Tailor made according to need of the child)				
94	Cut-out floor table (2ft x 2ft)	2ft*2ft wooden table with cut front side to do all reaching activity			
95	Floor seat (Pelvic strap)	child seafy cusion with shoulder belt and multiple straps for protecting child and design that does not hurt the baby in long term.material should safe for child skin			
96	Looking Mirrors				
97	Toys (for play and stimulation)				
98	Small rattles				
99	Sueaky toys				
100	Puja Bell (clapper bell)				
101	Soft toy				
102	Brush for tactile stimulation				
103	Theaputty : Gluten free, non-toxic, red, yellow and blue colors. 03 containers.				
104	Peg Board : Laminated square board having 10 holes to hold smoothly finished solid plastic pegs in five different bright colours				
105	Ball Pool : The dense foam padded mini Ball Pool is Soft, safe and perfect for small children. It provides				

	and excellent sensory stimulating activity. The round pool is 120 cm in diameter x 50 cm high & has 10 cm thick padded sides. The pool contains 500 multi colour balls of 7 cm or 8 cm diameter. Pool side and bottom is covered with durable Rexene that easily wipes clean				
106	Balls of different size				
107	<u>Gaiters:</u> Aluminum/bamboo stick of 8", 10", 12", 14" long inserted in the pockets of thick canvas, 3 Velcro straps to be wound around Total 8 no's (1 pair of each size mentioned)	Small- Height-10 inch; Length- 26 inch, breadth 17 inches			
108	Thick handle spoon Stainless steel spoon, padded handle 3				
	Thick handle bent spoon Stainless steel bent spoon, padded handle 3				
109	Plastic spoon with long handle (for babies), Long handle bright colour spoon				
110	Plastic glass with rim cut on one side: Plastic glass with one side of the rim is cut to accommodate nose:3				
111	Stainless steel plates with high rim: High rim to prevent spilling over of food				
112	Spouted Cups:	A deep vessel used in feeding babies and invalid, having a long, curved, rising spout			
113	Portable dental darkroom along with consumable: a) Developer b) Fixer c) X-Ray Film d) GIC (for normal				

	filling) e) Composite f) Periosteal Elevator				
114	NIMHANS BATTERY				
115	MINISPINING FIXATION GLOVES				
116	BRAINSTEM EVOKED RESPONSE AUDIOMETRIC I BCA- BR I ABR-ASSR				
117	SPEECH & VOICE- SOFTWARE				
118	SOFT PLAY WALLS				
119	CANOPY				
120	STANDEE				
121	RBSK DOCKET FOLDER				
122	Portable Ophthalmic Trial Lens Set				
123	Ophthalmic Trial Frame for Pediatrics Portable				
124	Manual operated Reverse rotating test type distance Vision test Drum				
125	Surgical Auto Illuminated Near Vision Test Drum				
126	HDPE lea Grating Paddles for vision Testing				
127	Lea Near Vision Single symbol Playing cards set Non tear water proof material				
128	HDPE Lea Symbol Translucent Distance Eye Chart				
129	Lea Symbol Low Contrast 10M Flip Chart"non tear"				
130	Lea-3D Puzzle for Vision Development for Children below 3 years				
131	Hiding Low Contrast Face Test "non tear" water proof material				
132	Hiding Expressions test game non-tear water proof material				
133	Vision Screening kit distance 10 feet				
134	COVD Pediatric kit				

135	Psycho corporation Vineland social maturity scale utility age 0-15 years				
136	Psycho corporation Developmental Screening Test				
137	Dyslexia Screening Test Junior 6-11 yrs	Includes examiner's manual, envelope 1 (DST-J <sup>INDIA</sup> subtest cards, sample permission letter and acetates), envelope 2 (containing score keys), balance tester, blindfold, beads, cord, and 50 score sheets in a carry case.			
138	Stanford Benet (Indian adaptationKulshreshta)	The test measures five weighted factors and consists of both verbal and nonverbal subtests. The five factors being tested are knowledge, quantitative reasoning, visual- spatial processing, working memory, and fluid reasoning.			
139	SANGUN FORM BOARD	Thickness: 18 mm Blocks, Size: Rectangle ; Size. RECTANGLE			
140	Tuning Fork Sets Electroplated Steel 1024 HZ	Frequency: 3 Types. Finish: Silver. Material: Surgical Stainless Steel. Pitch: 1024 HZ. Suitable For: Medical & Scientific Instruments.			
141	Laryngeal mirror size- 10mm	Stainless Steel, size-10mm			
142	Tuning Fork Sets Electroplated Steel 512 HZ	Frequency: 3 Types. Finish: Silver. Material: Surgical Stainless Steel. Pitch: 512Hz. Suitable For: Medical & Scientific Instruments.			
143	Dental x-ray film	Size 2( 30.5* 40.5)			
144	Rvg	Size -2, High resolution - 25lb/mm,thin and cut curved,usb-2			
145	Intra oral camera	5 megapixel camera with 6 LED lights for intra oral diagnosis			
146	Consumable diamond burs	Straight, tapered, round, invertedcone, flame shaped, wheel shaped-complete set			
147	Scaler polishing brushes and cups	Cotisen prophy brushes and cups- for polishing tooth after scaling			
148	Automatic water distiller	Waldent water distiller BST-007			

149	Mouth mirror	GI dental mouth mirror with handle			
150	Straight probes	GDC straight probes no.- 6 13/101( single sharpen ene)			
151	Explorer	Gdc explorer - double ended-1(EXD5)			
152	Tweezers	GDC London college tweezers ( DPU-17)			
153	Kidney trays	3 small - 6 inch, 2 big-8 inch			
154	Plastic cheek retractor 1 each	1-for adult ,1- for child			
155	Cement spatula ( metal&plastic) one each	GDC cement spatula #1( cs5) one metal and one plastic			
156	Glass slab	Glass slab- 7.5cm×15cm×10mm- for mixing cement			
157	Plastic patient drape	Reusable, adjustable,pvc coated,vinyl material			
158	Hand scaler( complete set)	Walden manipal hand scaler set of 3 15/2 or GDC perio scaler set of 8(psp8)			
159	Lead apron	IS indo surgical lead free apron for xray protection 0.5mmlead equivalency(xL). Or waldent lead apron for xray protection with thyroid collar lead equivalency 0.35mm( BARC approved)			
160	Pit and fissure sealant	Waldent light cure,fluoride release pit and fissure sealant(FISSURE SEAL)			
161	Topical fluoride varnish	e-SDF fluoride varnish			
162	Soft Play Walls	Printed 100% polyester; Plain fabrics 100% vinyl coated (PVC) nylon/polyester; CFC free CMHR fire retardant foam fillings			
163	Soft Play Mirror Corner set	Mirrors; Two, Shatter Proof Acrylic mirrors, Size; 1200mm x 600mm. * Mat; One, Size 1200mm x 1200mm x 10mm thick.			
164	White Room				
165	Sensory Deluxe Room Mini Sensory Room				
166	Waxbath Small	Paraffine Wax, Thermostatic Feacture			
167	Vacuum Therapy	4channels, Cup Shape			
168	Leaser Therapy	Protaiable, from Theapeutic Use.			

-sd-

CDM&PHO-Cum-DMD,Gajapati