



ନିୟନ୍ତ୍ରିତ ବଜାର କମିଟି କାର୍ଯ୍ୟାଳୟ, ପାରଳାଖେମୁଣ୍ଡି
ଝେସନ ରୋଡ, କପା ବଜାର ପ୍ରାଙ୍ଗଣ, ପାରଳାଖେମୁଣ୍ଡି, ଜିଲ୍ଲା - ଗଜପତି, ଓଡ଼ିଶା

No. 822

Dt. 17.12.2024

QUOTATION CALL NOTICE

Sealed Quotations in plain paper are invited from reputed manufacture or the authorized dealers for supply and installation of Grading equipments mentioned in the Point No 8 for use in Paddy Procurement operation KMS 2024-25 as per the specifications mentioned below;

The detail Quotation call Notice with specification can be seen from the Gajapati District web site www.gajapati.odisha.gov.in

The technical specification of the Grading equipments is enclosed along with this Quotation call notice for ready reference.

1. The bidder has to submit the Quotation as per the specifications enclosed.
2. The bidder shall have to submit sealed Quotation in a envelop super scribing "Supply of Grading Equipments"
3. The Quotationer has to deposit as EMD of Rs. 20,000/- in shape of D.D in favour of Secretary, RMC Paralakhemundi.
4. The EMD of successful bidder will be retained by the authority till supply of equipments of all terms and condition are fulfilled. The EMD of un-successful bidder will be refunded within 7 days from the opening of bid or receipt of application for returning of EMD.
5. The bidder has to submit the following documents;
 - A. Valid dealership/ sale license
 - B. Copy of GST Registration Certificate
 - C. Income Tax return of last 3 years.
 - D. Copy of PAN card
6. The bidder has to make demonstration of the equipments on the day of opening of bid
7. The performance of the equipment (as per specification) should be satisfactory.

Contd. to page No. 2...

8. The bidder has to quote price for single unit inclusive all taxes and transportation cost. The tentative requirement of the equipment are ;
- i. Setup sieves : 40 Nos.
 - ii. Mini Grader : 40 Nos.
 - iii. Analysis Kit : 50 Nos.
 - iv. Sample Divider : 40 Nos.
 - v. Sample collecting pan : 50 Nos.
9. The tender must reach before the Chairman, RMC Paralakhemundi, Station Road, Hatapada, Paralakhemundi, Gajapati Pin. 761201 by Regd. Post./ Speed post.
10. The Quotation should reach on or before **21.12.2024 at 5.00 PM** and Quotation will open on **23.12.2024 at 11.00 AM** in the office of the RMC Paralakhemundi.
11. The authority reserves the rights to reject all or any of the Tender without assigning any reason thereof.
12. The bidder has to adhere the specification of grading equipments as emphasized in Letter No. 3252 dt. 30.10.2018 of OSAM Board, Bhubaneswar.


Secretary

Regulated Market Committee
Paralakhemundi, Gajapati.

SPECIFICATIONS FOR SET OF SIEVES

Sl.No.	PARAMETERS	:	SPECIFICATIONS
1	Setup sieves	:	(4 Nos with collecting pan and lid made up of of Brass)
2	Sieves size	:	4mm – 1 No. 3.35 mm – 1 No. 1.7 mm – 1 No. 1 mm – 1 No. Dust collector – 1 No.
3	Solid bottom pan	:	1 No.
4	LID	:	1 No.

SPECIFICATIONS FOR MINI GRADER

	PARAMETERS	:	SPECIFICATIONS
	Model	:	Laboratory model
	Commodity	:	Paddy and pulses
	Power	:	Operating voltage : 220 Volt 50 Hz AC
	Screen area	:	29 x 24 cm 23 pprox
	Screen provided	:	Set of 10 sieves
	Sieves size (mm)	:	3.5 OH, 2.75 OH, 2.0 OH 1.85 OH 1.75 OH 1.5 OH 7.0 RH 5.0 RH AND 1.2 RH (OH- Oblong Hole and RH – Round Hold)
	No. of working screen	:	Two
	Motor	:	½ HP single phase (ISI standard)
	Operation	:	Manual , Power
	Adjustable feed control	:	Air speed regulator, stainless steel sieves
	Made	:	Teak wood and ply

SPECIFICATIONS FOR ANALYSIS KIT


Sl.No.	PARAMETERS	:	SPECIFICATIONS
1	Analysis box / kit	:	Kit consists of class 'B' Mechanical weighing balance upto 100 gm weight box consist of set of verified weights upto 100 gms Enameled Plate-9", Parrkhi-9", Sieve-3.30 mesh, Magnifying Glass-1.5" (Magnification of 10X), Vernier/ Micrometer, Palm Paddy de-husker, Scoop (with handle 105mm x 1000mm x 25mm, Measuring cylinder-20 cc., Built-in Purity work Board for testing physical purity of seeds. Petri dish & forceps all packed in a compact wooden/ leather brief case, as small as light and as compact as possible , but as accurate and as reliable.

SPECIFICATIONS FOR SAMPLE DIVIDER

Sl.No.	PARAMETERS	:	SPECIFICATIONS
1	Meeting	:	BIS specification
2	No. of Pockets	:	38
3	Hopper capacity	:	1 Kg (minimum)
4	Feature	:	Provides accurate splits of the grain Samples into two equal halves with an accuracy of $\pm 5\%$ on a 1Kg sample
5	Pans	:	Two collecting pans
6	Body	:	Copper and brass
7	Joint	:	Made without joint (in material following component)

SPECIFICATIONS FOR SAMPLE COLLECTING PAN

Sl.No.	PARAMETERS	:	SPECIFICATIONS
1	Pan	:	Sample collecting PAN (white color)


Secretary
Regulated Market Committee
Paralakhemundi