

Form - IV
(See rule 13)
ANNUAL REPORT

[To be submitted to the prescribed authority on or before 30th June every year for the period from January to December of the preceding year, by the occupier of health care facility (HCF) or common bio-medical waste treatment facility (CBWTF)]

Sl. No.	Particulars		
1.	Particulars of the Occupier	:	
	(i) Name of the authorised person (occupier or operator of facility)	:	Dr. Santanu kumar padhy(DMO (ms) cum-suptd.)
	(ii) Name of HCF or CBMWTF	:	District Head Quarter Hospital, PKD
	(iii) Address for Correspondence	:	
	(iv) Address of Facility	:	
	(v) Tel. No. Fax. No	:	06815-222222
	(vi) E-mail ID	:	hdtgajapati@gmail.com
	(vii) URL of Website	:	www.gajapati.nic.in
	(viii) GPS coordinates of HCF or CBMWTF	:	N.A.
	(ix) Ownership of HCF or CBMWTF	:	(State Government or Private or Semi Govt. or any other)
	(x). Status of Authorisation under the Bio-Medical Waste (Management and Handling) Rules	:	Authorisation No.: ...17734/SPCB/authorization.....valid up 31.03.2026.....
	(xi). Status of Consents under Water Act and Air Act	:	Valid up to: Applied on :- 31.03.2026 / 7.01.2025
2.	Type of Health Care Facility	:	
	(i) Bedded Hospital	:	No. of Beds:161+..
	(ii) Non-bedded hospital	:	
	(Clinic or Blood Bank or Clinical Laboratory or Research Institute or Veterinary Hospital or any other)	:	N.A
	(iii) License number and its date of expiry	:	17734/SPCB/authorization validity upto 31.03.2026
3.	Details of CBMWTF	:	N.A.
	(i) Number healthcare facilities covered by CBMWTF	:	N.A.
	(ii) No of beds covered by CBMWTF	:	
	(iii) Installed treatment and disposal capacity of CBMWTF:	:	40-70 Kg per day (dhh)

		Kg/day	
	(iv) Quantity of biomedical waste treated or disposed by CBMWTI :		
4.	Quantity of waste generated or disposed in Kg per annum (on monthly average basis) :	Yellow -	6086.096 kg
		Red Category	11198.419 kg
		White:	215.836 kg
		Blue Category :	4334.735 kg
		General Solid waste:	48771.118kg kg
5	Details of the Storage, treatment, transportation, processing and Disposal Facility		
(i) Details of the on-site storage facility :	Size	:120 sq.ft	
	Capacity :		
(ii) Details of the treatment or disposal facilities :	Provision of on-site storage : (cold storage or any other provision)		
	Type of treatment equipment	No of units	Capacity kg/day quantity treated or disposed in kg per annum
	Incinerators		
	Plasma Pyrolysis		
	Autoclaves -	01	450-500 lt per one time 6883.21
	Microwave	-	-
	Hydroclave	-	-
	Shredder	1	35 kg for 1 time 2468.71
	Needle tip cutter or destroyer	16nos	N.A.
	Sharps	02	-
	encapsulation		
	concrete pit		
	Deep burial pits:	01	-
	Chemical disinfection:	-	-
	Any other treatment equipment:	-	-
	(iii) Quantity of recyclable wastes Sold to authorized recyclers after treatment in kg per annum. :	Red Category (like plastic, glass etc.) Red : 11198.419 kg Blue: 4334.735 kg	
	(iv) No of vehicles used for collection and transportation of biomedical waste :		
	(v) Details of incineration ash and ETP sludge generated and disposed :	Quantity generated	Where disposed

Kg

	during the treatment of wastes in Kg per annum		Incineration: 0 Ash: 0 ETP Sludge: 0
	(vi) Name of the Common Bio- Medical Waste Treatment Facility Operator through which wastes are disposed of		Mediaid Marketing PVT.LTD {Bio Medical Wastes (red, blue, yellow and white)}
	(vii) List of member HCF not handed over bio-medical waste.		-
6	Do you have bio-medical waste management committee? If yes, attach minutes of the meetings held during the reporting period		Yes
7	Details trainings conducted on BMW		
	(i) Number of trainings conducted on BMW Management.		3-bathes
	(ii) number of personnel trained		155
	(iii) number of personnel trained at the time of induction		24
	(iv) number of personnel not undergone any training so far		Zero
	(v) whether standard manual for Training is available?		Yes
	(vi) any other information)		
8	Details of the accident occurred during the year		
	(i) Number of Accidents occurred		0
	(ii) Number of the persons affected		0
	(iii) Remedial Action taken (Please attach details if any)		N.A
	(iv) Any Fatality occurred, details.		N.A
9.	Are you meeting the standards of air Pollution from the incinerator? How many times in last year could not met the standards?		Incineration not available
	Details of Continuous online emission monitoring systems installed		N.A.
10	Liquid waste generated and treatment methods in place. How many times you have not met the standards in a year?		Low cost Liquid Treatment
11	Is the disinfection method or sterilization meeting the log 4		N.A

	Standards? How many times you have Not met the standards in a year?		
12	Any other relevant information	:	(Air Pollution Control Devices attached with the Incinerator)

Certified that the above report is for the period from

.....
 **January 2024 to December 2024**

Name and Signature of the Head of the Institution
**DNO S. Govt Supt
 DHH, Paralakhemundi**

[Handwritten Signature]
 14/10/2025

Date: 14/10/2025
 Place: Paralakhemundi